

3M™ Versaflo™ S-Series Hoods and Headcovers



Comfort  
Simplicity  
Versatility

3M™ Versaflo™ S-Series Hoods  
and Headcovers for Powered and  
Supplied Air Respirators

[3M.com/Versaflo](http://3M.com/Versaflo)





Many wearers of half and full facepiece respirators are taking a second look at powered and supplied air respirators for reasons that go beyond compliance.

## All-Day Comfort

New 3M™ Versaflo™ S-Series Hoods and Headcovers have been designed to provide users with the optimal level of comfort. Easily adjustable suspensions (most models) and soft comfort pads help provide excellent fit, stability and tracking. Comfort suspension hoods and headcovers feature wide faceseals with soft elastic for improved comfort and reduced air flow noise. The premium reusable suspension allows wearers to modify the airflow distribution inside the hood to suit personal comfort needs. All of these improvements combine to help workers stay more comfortable throughout the day.

## Versatility

As a part of Versaflo respirator systems, S-Series hoods and headcovers can be used in dozens of different Powered Air Purifying Respirator and Supplied Air Respirator combinations.

## Excellent Airflow

S-Series hoods and headcovers direct a comfortable stream of air into the headgear. The moving airflow may make hot environments more tolerable while reducing visor fogging. When used with an approved 3M™ Supplied Air Regulator, the compressed air can be made cooler or warmer by up to 50°F (28°C) for additional comfort.

## High Performance—APF

3M has conducted research to document an Assigned Protection Factor (APF) of 1000 for the S-Series hoods when used as part of a NIOSH-approved powered or supplied air respirator system. An APF of 1000 is the highest level allowed under the Occupational Safety and Health Administration (OSHA) Respiratory Protection Standard (29 CFR 1910.134) for this class of respirator. S-Series headcovers have an APF of 25, making them suitable for a wide range of applications and working environments.

## Fast Assembly

All S-Series compatible breathing tubes feature the innovative 3M™ Quick Release Swivel (QRS) connection. Simply push the QRS end of the breathing tube into the air inlet of the headgear until it snaps into place. The breathing tube can be quickly removed with only one hand by squeezing the breathing tube clips.

## Simple Maintenance

Choose the ready-to-use integrated suspension models for applications where assembly would be too time-consuming or impractical. Or select the premium reusable suspension hoods for quick, highly cost-effective replacement of outer fabrics.

## ALL-NEW BENEFITS

### Comfortably Worn By More Users

Based on a computer modeling of a worldwide sampling of head sizes, the new S-Series suspensions, through their sizing options, will comfortably fit more wearers than previous models.

### Improved Visibility

S-Series visors have an excellent field of view with reduced curvature for decreased reflections and glare. Their new design, plus their protective shipping cartons, minimize the potential for visor creasing and visual distortion.



### Sleek New Shape

The design of the premium suspension and comfort suspension hoods and headcovers more closely profiles the wearer's head for a more streamlined, less bulky appearance.

### Excellent Airflow

S-Series wearers benefit from excellent airflow distribution for improved comfort.



## Integrated Suspension Hoods and Headcovers

Available with two different suspensions, comfort and fabric, integrated suspension hoods and headcovers offer the advantage of being fully assembled and ready to use straight out of the box. They can be suitable for applications that require frequent replacement of the entire headgear assembly, such as pharmaceutical manufacturing, or in situations where there is less soiling of the outer fabric. Integrated suspension headgear is available in two sizes to comfortably fit more wearers: S/M and M/L.



### 3M™ Versaflo™ Economy Headcover S-103

Head and face coverage. Fabric suspension.



### 3M™ Versaflo™ Headcover S-133 and S-133B

Head and face coverage. Integrated Comfort suspension. General purpose fabric.



### 3M™ Versaflo™ Headcover S-433

Head, face, neck and shoulder coverage. Integrated suspension.



### 3M™ Versaflo™ Economy Hood S-403

Head, face, neck, and shoulder coverage. Fabric suspension, inner shroud.



### 3M™ Versaflo™ Hood S-533

Head, face, neck, and shoulder coverage. Comfort suspension. Durable, soft, quiet, low-linting fabric that drapes more comfortably over the wearer.

## COMFORT SUSPENSION MODELS

Integrated suspension models S-133, S-133B and S-533 also feature a wide faceséal with soft elastic for improved comfort and reduced noise. The new airflow distribution minimizes the potential for air whistling past the wearer's ears, allowing for better worker communication and improved comfort. A new exhalation panel vents the headtop without the traditional vent hole pattern or exhalation valve.

## FABRIC SUSPENSION MODELS

Economy suspension models S-103 and S-403 provide a lower cost alternative to value-conscious customers while still offering comfort and protection.

Product #	Description	Size	Qty
<b>Integrated Suspension Accessories†</b>			
S-920S	3M™ Peel-Off Visor Cover for use with Integrated Harness Products	Sm/Med	40/case
S-920L	3M™ Peel-Off Visor Cover for use with Integrated Harness Products	Med/Lg	40/case


†3M recommends S-922 Peel-Off Visor Cover for S-103 Economy Headcover and S-403 Economy Hood.

## Premium Reusable Suspension Hoods

Premium reusable suspension hoods can be a very cost-effective choice for some high disposal rate environments—just the soiled hood fabric is replaced, while the suspension and air ducting can be reused. The new design permits significantly faster user assembly of the entire headtop.

The suspension's new rigid ducting provides a consistent air path. An externally-adjustable airflow control allows wearers to modify the airflow distribution to suit personal comfort needs. While wearing, the airflow may be directed primarily to the front visor or split to provide more airflow to the top of the head.

The suspension has independent adjustments for the crown and head circumference, allowing a comfortable, custom fit for a wide range of head sizes. An optional size-reducing comfort pad is provided to further extend the range of compatible head sizes.



### 3M™ Versaflo™ Hood Assembly S-655

Head, face, neck and shoulder coverage. Its respiratory seal is a comfortable, knitted inner collar that is shorter and thinner than previous models. General purpose, cost-effective fabric.



### 3M™ Versaflo™ Hood Assembly S-657

Similar to S-655. The S-657 uses a double shroud design for its respiratory seal; wearers can select their preferred seal design. The S-657 is worn by tucking the inner shroud into a shirt or protective coverall, allowing excess air to be channeled over the body.



### 3M™ Versaflo™ Hood Assembly S-757 / 37301

Similar to S-657 but with a fabric specifically intended to help capture paint overspray, minimizing the potential for paint to flake off the wearer and onto the work piece. Fabric has an internal film barrier to help prevent paint contact with skin or clothes.



### 3M™ Versaflo™ Hood Assembly S-855

Similar to S-655 but made with Kappler® Zytron® 200, a polypropylene fabric with a multi-layer barrier film. Features sealed seams, making it suitable for environments where certain liquid splash hazards may be present. Includes a comfortable inner collar.



### 3M™ Versaflo™ Hood Assembly S-857

Similar to S-657 but made with Kappler® Zytron® 200 and sealed seams. Features a double shroud design for its respiratory seal. Both the S-855 and S-857 hood assemblies include ties to help keep the shroud in place.

Product #	Description	Qty
<b>S-950 Premium Suspension Replacement Parts and Accessories</b>		
S-922 37302	3M™ Peel-Off Visor Cover for use with S-600, S-700 and S-800 Assemblies	40/case
S-950 37303	3M™ Premium Head Suspension for use with S-600, S-700 and S-800 Hood Assemblies	1/case
S-951	3M™ Headband for Premium Head Suspension	1/case
S-952 37304	3M™ Visor Attachment Clips (Left and Right) for Premium Head Suspension	1 pair/case
S-953 37305	3M™ Comfort Pad for Premium Head Suspension	20/case
S-954 37306	3M™ Size Reducing Comfort Pad for Premium Head Suspension	20/case
S-955 37307	3M™ Air-Flow Adjustment Cover for Premium Head Suspension	1/case
S-956 37308	3M™ Air Duct Sealing Ring for Premium Head Suspension	5/case
S-958 37252	3M™ Chin Strap for Premium Head Suspension	4/case

Product #	Description	Qty
<b>Premium Suspension Replacement Hoods</b>		
S-605-10	3M™ Replacement Hood with Inner Collar for use with Premium Head Suspension	10/case
S-607-10	3M™ Replacement Hood with Inner Shroud for use with Premium Head Suspension	10/case
S-707-10 37300	3M™ Replacement Painter's Hood with Inner Shroud for use with Premium Head Suspension	10/case
S-805-5	3M™ Replacement Hood with Sealed Seams and Inner Collar	5/case
S-807-5	3M™ Replacement Hood with Sealed Seams and Inner Shroud	5/case

3M Automotive Aftermarket Division (AAD) Product Numbers are found in blue type on selected products.

## New Breathing Tubes

All S-Series compatible breathing tubes feature the innovative 3M™ Quick Release Swivel (QRS) connection. The QRS connects quickly to the headgear and swivels to minimize loops and kinks in the breathing tube.

### BT-20S



#### **3M™ Versaflo™ Breathing Tube, Small/Medium**

Approx. 28", features steel core coils for durability. To improve comfort and reduce the potential to catch on the wearer's surroundings, BT-20 tubes are available in two sizes.

37309

### BT-20L



#### **3M™ Versaflo™ Breathing Tube, Medium/Large**

Approx. 38", features steel core coils for durability. To improve comfort and reduce the potential to catch on the wearer's surroundings, BT-20 tubes are available in two sizes.

37310

### BT-30



#### **3M™ Versaflo™ Length-Adjusting Breathing Tube**

Self-adjusting length results in an approved fit for most wearers and reduced risk of catching and snagging.

### BT-40



#### **3M™ Versaflo™ Heavy Duty Neoprene Rubber Breathing Tube**

Features a durable, heat-resistant neoprene rubber material for rugged applications.

### BE-324



#### **3M™ Breathing Tube**

Approx. 36", for use only with Breathe Easy™ systems.

3M Automotive Aftermarket Division (AAD) Product Numbers are found in blue type on selected products.



## Solutions for Many Applications

3M™ Versaflo™ S-Series Hoods and Headcovers are designed for versatility. S-Series products can be effectively used in a wide variety of industries and applications.



Headgear	OSHA Assigned Protection Factor <sup>1</sup>
S-103 Economy Headcover	25
S-133 Headcover	25
S-133B Headcover	25
S-403 Economy Hood	1000 <sup>2</sup>
S-533 Hood	1000 <sup>2</sup>
S-655 Hood Assembly with Inner Collar and Premium Head Suspension	1000 <sup>2</sup>
S-657 Hood Assembly with Inner Shroud and Premium Head Suspension	1000 <sup>2</sup>
S-757 Painter's Hood Assembly with Inner Shroud and Premium Head Suspension	1000 <sup>2</sup>
S-855 Hood Assembly with Sealed Seams, Inner Collar and Premium Head Suspension	1000 <sup>2</sup>
S-857 Hood Assembly with Sealed Seams, Inner Shroud and Premium Head Suspension	1000 <sup>2</sup>

<sup>1</sup>In Canada, follow CSA Z94.4 or the requirements of the authority having jurisdiction in your region.

<sup>2</sup>3M supports an APF of 1000 for these hoods, which is consistent with the OSHA APFs defined in 29 CFR 1910.134. Contact 3M for supporting test procedures and data.

## EASY TRANSITIONS

If you are currently a 3M™ Powered and Supplied Air user looking to transition to the S-Series, use the following table to understand the headgear options available to you. Once you have selected the

S-Series product that is right for you, use the information on the next page to find the breathing tube solution that will complete your system.

Current Product	S-Series Products
BE-12 Headcover, White, Regular <sup>3</sup>	S-103S Economy Headcover, Small/Medium S-133S Headcover, White, Small/Medium
BE-12L Headcover, White, Large <sup>3</sup>	S-103L Economy Headcover, Medium/Large S-133L Headcover, White, Medium/Large
BE-12B Headcover, Blue, Regular <sup>3</sup>	S-133SB Headcover, Blue, Small/Medium
BE-12LB Headcover, Blue, Large <sup>3</sup>	S-133LB Headcover, Blue, Medium/Large
BE-10 Hood, White, Regular <sup>3</sup>	S-403S Economy Hood, Small/Medium S-533S High Durability Hood, Small/Medium
BE-10L Hood, White, Large <sup>3</sup>	S-403L Economy Hood, Medium/Large S-533L High Durability Hood, Medium/Large
H-410 Hood, with Collar	S-605 Replacement Hood with Inner Collar
H-411 Hood Assembly, with Collar and Cap Suspension	S-655 Hood Assembly with Collar and Premium Head Suspension
H-420 Hood, with Inner Shroud	S-607 Replacement Hood with Inner Shroud S-707 Replacement Painter's Hood with Inner Shroud
H-421 Hood Assembly, with Inner Shroud and Cap Suspension	S-657 Hood Assembly with Inner Shroud and Premium Head Suspension S-757 Painter's Hood Assembly with Inner Shroud and Premium Head Suspension
H-610 Sealed Seam Hood with Collar	S-805 Replacement Hood with Sealed Seams and Inner Collar S-807 Replacement Hood with Sealed Seams and Inner Shroud
H-611 Sealed Seam Hood Assembly with Collar and Cap Suspension	S-855 Hood Assembly with Sealed Seams Inner Collar and Premium Head Suspension S-857 Hood Assembly with Sealed Seams Inner Shroud and Premium Head Suspension

<sup>3</sup>S-Series products are not available for use with the 3M™ Air-Mate™ PAPR. Due to sizing differences between the BE-Series and the S-Series, some BE-10/12 (regular size) wearers will want to consider the M/L versions of the S-Series products.



## — S-Series Combinations

## .... H-Series Combinations

### 3M™ VERSAFLO™ S-SERIES HOODS AND HEADCOVERS



#### Integrated Suspension Headcovers

APF 25 Respiratory Protection

<b>S-103S</b>	Economy, S/M	<b>S-133S</b>	White, S/M
<b>S-103L</b>	Economy, M/L	<b>S-133L</b>	White, M/L
	<b>S-133SB</b>	Blue, S/M	
	<b>S-133LB</b>	Blue, M/L	



#### Integrated Suspension Hoods

APF 1000\*\* Respiratory Protection

<b>S-403S</b>	Economy, S/M	<b>S-433S</b>	Integrated, S/M	<b>S-533S</b>	High Durability, S/M
<b>S-403L</b>	Economy, M/L	<b>S-433L</b>	Integrated, M/L	<b>S-533L</b>	High Durability, M/L

### 3M™ VERSAFLO™ BT-SERIES BREATHING TUBES

All BT-Series breathing tubes feature the QRS (Quick Release Swivel) connection for maximum comfort and ease of use.



**BT-20S/37309** Small/Medium (Approx. 28")  
**BT-20L/37310** Medium/Large (Approx. 38")



**BT-30**  
Length Adjusting



**BT-40**  
Heavy Duty

### 3M™ VERSAFLO™ TR-SERIES POWERED AIR PURIFYING RESPIRATORS (PAPRS)†



#### TR-300 Particulate PAPR Assemblies

<b>TR-305N</b>	Standard Belt & Economy Battery
<b>TR-306N</b>	High Durability Belt & High Capacity Battery
<b>TR-307N</b>	Easy Clean Belt & High Capacity Battery

#### Filters

<b>TR-3710N-5</b>	Particulate Filter, 5/case
<b>TR-3710N-40</b>	Particulate Filter, 40/case



#### TR-600 PAPR Assemblies

<b>TR-613N</b>	High Durability Belt & Economy Battery
<b>TR-614N</b>	Easy Clean Belt & Economy Battery
<b>TR-616N</b>	High Durability Belt & High Capacity Battery
<b>TR-617N</b>	Easy Clean Belt & High Capacity Battery

#### Cartridges/Filters

<b>TR-6320N-5</b>	Acid Gas/HE
<b>TR-6350N-5</b>	Formaldehyde/HE
<b>TR-6360N-5</b>	Ammonia/ Methylamine/HE
<b>TR-6510N-5</b>	Organic Vapor/HE
<b>TR-6530N-5</b>	Organic Vapor/Acid Gas/HE
<b>TR-6590N-5</b>	Multi-Gas/HE
<b>TR-6710N-5</b>	High Efficiency Filter
<b>TR-6820N-5</b>	HE and Nuisance OV/ AG Filter

\*\*OSHA assigned protection factors defined in 29 CFR 1910.134. 3M supports an APF of 1000 for the S-Series and H-Series Hoods, and M-Series and L-Series Helmets with TR-Series, V-Series, and GVP-Series air supply sources. Contact 3M Technical Service for supporting test procedures and data. In Canada, follow CSA Z94.4 or the requirements of the authority having jurisdiction in your region.

† For the TR-300 PAPR - Operating Altitude approx. sea level to 2,600ft (800m). For altitudes above 2,600ft, contact 3M.

For TR-600 Models - Operating Altitude approx. -328 to 16,404ft (-100 to 5,000m). For altitudes outside this range, contact 3M.





## Premium Suspension Hoods

APF 1000\*\* Respiratory Protection,  
Reusable Suspension, Adjustable Airflow

**S-655** Hood Assembly w/Inner Collar

**S-657** Hood Assembly w/Inner Shroud

**S-757** Painter's Hood Assembly  
w/Inner Shroud



**S-855** Sealed Seam Hood  
Assembly w/Inner Collar

**S-857** Sealed Seam Hood  
Assembly w/Inner Shroud

## 3M™ H-SERIES HOODS



APF 1000\*\* Respiratory Protection,  
Head Protection, Reusable Suspension

**H-412**  
Hood with Inner Collar  
and Hard Hat



**H-422**  
Hood with Inner  
Shroud and Hard Hat



**H-611**  
Sealed Seam Hood  
with Inner Collar and  
Cap Suspension

**H-612**  
Sealed Seam Hood  
with Inner Collar



**H-120**  
Adapter

## 3M™ H-SERIES BREATHING TUBES



**H-115**  
Breathing Tube



**GVP-122**  
Breathing Tube

## 3M™ VERSAFLO™ V-SERIES SUPPLIED AIR VALVES



**V-100/37018**  
Vortex Cooling  
Assembly



**V-200**  
Vortemp™  
Heating Assembly



**V-300/37019**  
Valve  
Assembly



**V-400/37020**  
Low-Pressure  
Assembly



25 ft. – **W-9435-25/07010**  
50 ft. – **W-9435-50/07011**  
100 ft. – **W-9435-100/07012**  
3/8" High Pressure Hose



25 ft. – **W-2929-25/07011**  
50 ft. – **W-2929-50/07011**  
100 ft. – **W-2929-100/07012**  
3/8" High Pressure Hose



25 ft. – **W-3020-25/07033**  
50 ft. – **W-3020-50/07034**  
100 ft. – **W-3020-100/07035**  
1/2" Low Pressure Hose




**AP-601**  
(100 cfm) without CO  
Monitor




**256-02-01**  
(100 cfm) with CO  
Monitor



**W-2806/07006**  
(50 cfm)  
without CO  
Monitor



**AP-602**  
(100 cfm) with CO  
Monitor



**256-02-00**  
(50 cfm) with CO  
Filtration and Monitor

**IMPORTANT: These filter and regulated panel products do not produce Grade-D breathing air.** The employer is required to ensure that the compressed air used with any supplied air system meets the requirements for Grade-D breathing air per the Compressed Gas Association Commodity Specification G-7.1-1997. In Canada, refer to CSA Standard Z180.1 for the quality of compressed breathing air.



**W-2808/37027**  
CO Monitor Retrofit Kit

## BE-SERIES HOODS & HEADCOVERS



### Headcovers

**BE-12** White, Regular  
**BE-12L** White, Large  
**BE-12B** Blue, Regular  
**BE-12BL** Blue, Large

### Hoods

**BE-10** White, Regular  
**BE-10L** White, Large

### Breathing Tube



**520-03-32R01**  
(Approx. 33")  
**520-01-80R01**  
(Approx. 25")

### Breathing Tube



**520-01-00R0**  
(Approx. 36")  
**520-02-94R0**  
(Approx. 25")

## NiCd BREATHE EASY™ SYSTEMS



**520-17-00**



**520-03-73**  
Single Battery Charger



**520-03-72**  
Five Battery Charger



**520-01-61**  
Ten Battery Charger



**450-00-01R12**  
High Efficiency Particulate (HE) Cartridge

## S-SERIES HOODS & HEADCOVERS

### Integrated Suspension



### Headcovers

**S-103** Economy, S/M  
**S-103L** Economy, M/L  
**S-133S** White, S/M  
**S-133L** White, M/L  
**S-133SB** Blue, S/M  
**S-133LB** Blue, M/L



### Hoods

**S-403S** Economy, S/M  
**S-403L** Economy, M/L  
**S-433S** Integrated, S/M  
**S-433L** Integrated, M/L  
**S-533S** High Durability, S/M  
**S-533L** High Durability, M/L

### Premium Suspension



### Hoods

**S-855** Sealed Seam Hood Assembly w/Inner Collar  
**S-857** Sealed Seam Hood Assembly w/Inner Shroud

### Breathing Tube



**BE-324** (Approx. 36")

All BT-Series breathing tubes feature the QRS (Quick Release Swivel) connection for maximum comfort and ease of use.



**BT-20S/37309** S/M (Approx. 28")  
**BT-20L/37310** M/L (Approx. 38")



**BT-30**  
Length Adjusting



**BT-40**  
Heavy Duty

## NiCd GVP™ SYSTEMS



### NiCd Battery

**GVP-1** Standard Belt  
**GVP-1U** Urethane Belt  
**GVP-CB** Comfort Belt

### Cartridges/Filters

GVP-401 Organic Vapor (OV)	GVP-441 Organic Vapor/HE (OV/HE)
GVP-402 Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride (AG)	GVP-442 Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/HE (AG/HE)
GVP-403 Organic Vapor/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/Hydrogen Sulfide (OV/AG)	GVP-443 Organic Vapor/Chlorine/Hydrogen Chloride/Sulfur Dioxide/Chlorine Dioxide/Hydrogen Fluoride/Hydrogen Sulfide/HE (OV/AG/HE)
GVP-404 Ammonia/Methylamine (AM/MA)	GVP-444 Ammonia/Methylamine/HE (AM/MA/HE)
GVP-405 Formaldehyde (FM)	GVP-445 Formaldehyde/HE (FM/HE)
GVP-440 High Efficiency Particulate (HE)	

Product #	Description	Size	Qty
<b>3M™ S-Series Integrated Suspension Hoods and Headcovers</b>			
S-103S-20	3M™ Economy Headcover	Sm/Med	20/case
S-103L-20	3M™ Economy Headcover	Med/Lg	20/case
S-133S-5	3M™ Headcover with Integrated Head Suspension, White	Sm/Med	5/case
S-133SB-5	3M™ Headcover with Integrated Head Suspension, Blue	Sm/Med	5/case
S-133L-5	3M™ Headcover with Integrated Head Suspension, White	Med/Lg	5/case
S-133LB-5	3M™ Headcover with Integrated Head Suspension, Blue	Med/Lg	5/case
S-403S-20	3M™ Economy Hood		20/case
S-403L-20	3M™ Economy Hood		20/case
S-533S	3M™ High Durability Hood with Integrated Head Suspension	Sm/Med	1/case
S-533L	3M™ High Durability Hood with Integrated Head Suspension	Med/Lg	1/case

Product #	Description	Size	Qty
<b>Integrated Suspension Accessories†</b>			
S-920S	3M™ Peel-Off Visor Cover for use with Integrated Harness Products	Sm/Med	40/case
S-920L	3M™ Peel-Off Visor Cover for use with Integrated Harness Products	Med/Lg	40/case

†3M recommends S-922 Peel-Off Visor Cover for S-103 Economy Headcover and S-403 Economy Hood.

Product #	Description	Qty
<b>S-950 Premium Suspension Replacement Parts and Accessories</b>		
S-922 37302	3M™ Peel-Off Visor Cover for use with S-600, S-700 and S-800 Assemblies	40/case
S-950 37303	3M™ Premium Head Suspension for use with S-600, S-700 and S-800 Hood Assemblies	1/case
S-951	3M™ Headband for Premium Head Suspension	1/case
S-952 37304	3M™ Visor Attachment Clips (Left and Right) for Premium Head Suspension	1 pair/case
S-953 37305	3M™ Comfort Pad for Premium Head Suspension	20/case
S-954 37306	3M™ Size Reducing Comfort Pad for Premium Head Suspension	20/case
S-955 37307	3M™ Air-Flow Adjustment Cover for Premium Head Suspension	1/case
S-956 37308	3M™ Air Duct Sealing Ring for Premium Head Suspension	5/case
S-958 37252	3M™ Chin Strap for Premium Head Suspension	4/case

Product #	Description	Qty
<b>3M™ S-Series Premium Suspension Hood Assemblies</b>		
S-655	3M™ Hood Assembly with Inner Collar and Premium Head Suspension	1/case
S-657	3M™ Hood Assembly with Inner Shroud and Premium Head Suspension	1/case
S-757 37301	3M™ Painter's Hood Assembly with Inner Shroud and Premium Head Suspension	1/case
S-855	3M™ Hood Assembly with Sealed Seams Inner Collar and Premium Head Suspension	1/case
S-857	3M™ Hood Assembly with Sealed Seams Inner Shroud and Premium Head Suspension	1/case

Product #	Description	Qty
<b>Premium Suspension Replacement Hoods</b>		
S-605-10	3M™ Replacement Hood with Inner Collar for use with Premium Head Suspension	10/case
S-607-10	3M™ Replacement Hood with Inner Shroud for use with Premium Head Suspension	10/case
S-707-10 37300	3M™ Replacement Painter's Hood with Inner Shroud for use with Premium Head Suspension	10/case
S-805-5	3M™ Replacement Hood with Sealed Seams and Inner Collar	5/case
S-807-5	3M™ Replacement Hood with Sealed Seams and Inner Shroud	5/case

Product #	Description	Qty
<b>3M™ H-Series Replacement Hoods</b>		
H-410-10	3M™ Hood with Collar, Tychem® QC	10/case
H-420-10	3M™ Hood with Inner Shroud, Tychem® QC	10/case
H-610-5	3M™ Sealed-Seam Hood with Collar, Tychem® SL	5/case

3M offers H-Series Hoods for users that require a hood that is compatible with a hard hat.

Product #	Description	Qty
<b>Breathing Tube Cover</b>		
BT-922/ W-3228-10 37311	3M™ Breathing Tube Cover	10/case

Build your own Versaflo™ system or choose from one of our complete system kits. These kits offer the convenience of a complete system tailored to your application — all in one box.

## EASY CLEAN PAPR KIT



### TR-300-ECK TR-600-ECK

Popular for many pharmaceutical, healthcare, and food and beverage applications, the ECK Kit includes an S-series Hood, a TR-300 or TR-600 PAPR with Easy Clean Belt, and a BT-30 Breathing Tube.

## HEADCOVER PAPR KIT



### TR-300-HKS (Small Headcover Kit) TR-300-HKL (Large Headcover Kit)

The easiest way to select a complete system for hospital, healthcare, and pharmaceutical applications where an S-133, APF 25 Headcover is preferred. Includes an S-133 Headcover, a TR-307N PAPR with Easy Clean Belt, a BT-30 Breathing Tube, charger, TR-3710N filter and a storage bag. Available in two sizes: Small/Medium and Medium/Large.

## For More Information

### In U.S.

Technical Assistance	1-800-243-4630
Hours of Operation:	8:00 a.m. – 4:30 p.m. CST
Customer Care Center	1-800-328-1667
Hours of Operation:	7:00 a.m. – 5:00 p.m. CST
Internet	3M.com/PPESafety 3M.com/Versaflo



Scan to learn more or request a product demo.

Download reader @  
<http://get.beetag.com>.

### In Canada

Technical Assistance	1-800-267-4414
Hours of Operation:	8:00 a.m. – 4:30 p.m. EST
Customer Care	1-800-364-3577
Hours of Operation:	7:30 a.m. – 6:00 p.m. EST
Internet	3M.ca/safety



### Lim Kim Hai Electric Co (S) Pte Ltd

Lim Kim Hai Building,  
53 Kallang Place, Singapore 339177  
**T** (+65) 6292 3711 • (+65) 6490 5000  
**F** (+65) 6297 0078  
**E** [customerservice@limkimhai.com.sg](mailto:customerservice@limkimhai.com.sg)  
**W** [www.limkimhai.com.sg](http://www.limkimhai.com.sg)



### ⚠ WARNING

These respirators help protect against certain airborne contaminants. Before use, the wearer must read and understand the User Instructions provided as a part of the product packaging.

A written respiratory protection program must be implemented meeting all the requirements of OSHA 1910.134 including training, fit testing and medical evaluation. In Canada, CSA standards Z94.4 requirements must be met and/or requirements of the applicable jurisdiction, as appropriate. **Misuse may result in sickness or death.** For proper use, see packaging instructions, supervisor, or call 3M PSD Technical Service in USA at 1-800-243-4630 and in Canada at 1-800-267-4414.