

Dräger Saver CF Compressed Air Escape Device

The Dräger Saver CF constant flow Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments. Simple to put on and featuring automatic operation, this hood-based, constant flow breathing device can be used with minimal training.



Benefits

When time is of the essence

In emergency situations, conditions can deteriorate rapidly. The air is suddenly filled with smoke or toxic fumes and rapid escape is the only available option. The Dräger Saver CF is highly visible and was designed to be suitable even for people with spectacles or facial hair. When opened, the Saver CF is automatically activated and begins feeding a continuous supply of breathing air to the hood. The Saver CF gives the wearer the precious additional time needed to exit the area safely.

Highly visible, even under adverse conditions

Available with either a soft bag or hard case, the Saver CF can be easily wall-mounted in strategic locations in potentially hazardous areas. Both black anti-static cases or bright orange bags feature photoluminescent panels and reflective stripes for enhanced visibility, even under low lighting conditions. The Saver CF is compact and lightweight and can be worn either as a chest bag or over the shoulder. Made from highly resistant materials, it is washable, flame retardant and allows water to drain freely.

Up to 15 minutes of lifesaving air

The Dräger Saver CF utilizes a simple, fail-safe reducer system with excellent flow characteristics, providing a consistent rate of air flow until the cylinder is completely empty. An alarm whistle sounds before the air supply is exhausted. It can be equipped with cylinders which can hold either a 10 or 15 minute supply of air. The flame-retardant hood incorporates a large visor for maximum peripheral vision.

New options for added safety and durability

The SE version includes a newly developed neck seal which offers unparalleled resistance to the effects of high temperatures, ozone and diesel fumes, which are often found in places such as engine rooms. This translates to years of reliable, worry-free service, even under adverse conditions. Standard Dräger Saver CF15 units can also be retrofitted with the SE option.

Low-maintenance protection

The Dräger Saver CF requires very little service or maintenance. A transparent window on both the soft bag and hard case lets you check the cylinder pressure gauge easily without unpacking the unit. You know the Saver CF is there for you when you need it.

Conforms to relevant standards and norms

The Dräger Saver CF complies with the essential health and safety requirements of the PPE Regulation (EU) 2016/425 and is tested and designed in accordance with EN1146 (2005), DNV GL Certificate of Fire Approval and DNV GL Certificate of Type Approval. It also complies with SOLAS Chapter II-2, the Marine Equipment Directive, the Pressure Equipment Directive and ISO 23269-1:2008. Anti-static versions are also suitable for use in explosive atmospheres (zone 0).

Accessories

ST-3985-2005



Safety Wash

ST-3990-2005



Storage cabinets

ST-3991-2005



Anti-static bags

Anti-static bag for Saver CF15 – Order No: 33 60 340

Anti-static bag for Saver CF10 – Order No: 33 60 339

Anti-static bag for Saver CF15 SE – Order No: 33 60 341


D-45937-2015



Single unit storage box

Accessories

ST-3973-2005



Security tab

ST-3986-2005



Dräger Saver Waistbelt

Related Products

D-35109-2011



Dräger Oxy® 3000/6000

Robust and always under control: the oxygen self-rescuers Dräger Oxy® 3000 and 6000 are designed to handle the harshest conditions. Their new product concept reliably protects the internal functional unit against damage. The Safety Eye provides an additional level of security: the status window allows the user to assess whether the device is operational within seconds.

Related Products



D-33943-2011

Dräger Saver PP

The Saver PP positive pressure Emergency Escape Breathing Apparatus allows safe, effective and uncomplicated escape from hazardous environments, even if H_2S is present. Simple to put on and featuring automatic operation, this positive-pressure breathing device features an integrated full-face mask and can be used in conjunction with other safety equipment such as ear protectors or helmets.

Technical Data

	Dräger Saver CF10/CF15	Dräger Saver CF15 CC
Dimensions (H x L x T)	260 x 510 x 190 mm	260 x 560 x 190 mm
Cylinder charging pressure	200 bar	200 bar
Airflow to the hood	35 – 37 L/min	35 – 37 L/min
Operating temperature range	-15 °C to +60 °C	-15 °C to +60 °C
Approvals	EN1146:2005 ISO 23269-1:2008 ISO 23269-4:2011 SOLAS Chapter II-2 Marine Equipment Directive Pressure Equipment Directive The Dräger Saver CF hard case and anti-static soft bag versions are suitable for use in explosive atmospheres (zone 0).	EN1146:2005 ISO 23269-1:2008 SOLAS Chapter II-2 Marine Equipment Directive Pressure Equipment Directive
Weight (kg) including cylinder	CF10	CF15
Hard case	5.9 kg	6.9 kg
Soft bag	4.2 kg	5.2 kg
Cylinder	2 L 200 bar (aluminium)	3 L 200 bar (steel)
		CF15 CC
		–
		4.5 kg
		3 L 200 bar (carbon composite)

Ordering Information

Dräger Saver CF – Soft bag versions

Saver CF10	33 59 734
Saver CF15	33 59 735
Saver CF10 Anti-static	33 59 736
Saver CF15 Anti-static	33 59 737
Saver CF15 (SE)	33 59 742
Saver CF15 (SE) Anti-static	33 59 743
Saver CF 15 CC	33 60 789

Dräger Saver CF – Hard case versions

Saver CF10	33 59 739
Saver CF15	33 57 940
Saver CF15 (SE)	33 59 744

Accessories

Saver waistbelt	33 50 396
Security tab	33 50 388
Wall mounting kit for carry case	33 50 431
Carry case	33 50 424
Storage wall box	33 51 823
Wall bracket (for hard case versions)	33 60 516

Safety Wash

1 litre dispenser	33 80 164
1 litre refill	33 80 165
5 litre dispenser	33 80 166
5 litre refill	33 80 167

Notes

Notes

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

REGION DACH
Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE
Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA
Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC
Dräger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
Tel: +65 6872 9288
Fax: +65 6259 0398
asia.pacific@draeger.com

**REGION CENTRAL
AND SOUTH AMERICA**
Dräger Panamá Comercial
S. de R.L.
59 East Street, Nuevo Paitilla,
House 31, San Francisco Town
Panama City, Panama
Tel +507 377-9100 / Fax -9130
servicioalcliente@draeger.com

Locate your Regional Sales
Representative at:
www.draeger.com/contact

